

INTERIOR FINISHES

Toilet Rooms:

1. Walls: Water resistant gypsum wallboard on metal studs. 4"x 4" min. glazed tile full height in manufacturer's standard colors.
American O'Lean, Daltille
2. Base: 4"x4" min. unglazed tile cove in manufacturer's standard colors
American O'Lean, Daltille
3. Floor: Epoxy dark grout 4"x4" min. unglazed porcelain tile in manufacturer's standard colors with marble threshold
American O'Lean, Daltille
4. Ceilings: Painted gypsum board.
5. Lighting: TBD
6. Toilet Partitions: **BOBRICK** or equal
Solid color reinforced composite (Sierra Series)
Floor mount/stainless steel base through bolt hardware

A. Graffiti Resistance: Partition material shall have the following graffiti removal characteristics when tested in accordance with ASTM D6578-00 Standards Practice for Determination of Graffiti Resistance in accordance with Section 9, "Graffiti Removal Procedure Using Manual Solvent Rubs".

1. Cleanability: Five (5) required staining agents shall be cleaned off material.

B. Scratch Resistance: Partition material shall have the following characteristics when tested in accordance with ASTM D2197-98 (2002) Standard Test Method for Adhesion of Organic Coating by Scrape Adhesion, using Gardner Stock #PA-2197/ST pointed stylus attachment on scrape tester:

1. Scratch Resistance: Maximum Load value shall exceed 10 kilograms.

C. Impact Resistance: Partition material shall have the following characteristics when tested in accordance with ASTM D279-93 (1999) e1 Standard Test Method for Resistance of Organic Coating to the Effects of Rapid Deformation (Impact), using .625" hemispherical indenter with 2-lb impact weight:

1. Impact Resistance: Maximum Impact Force value shall exceed 30 inch-lbs.

D. Fire Resistance: Partition material shall comply with the following requirements, when tested in accordance with ASTM E 84: Standard Test method for Surface Burning Characteristics of Building Materials:

1. Smoke Developed Index: Not to exceed 450.
2. Flame Spread Index: Not to exceed 75.
3. Material Fire Ratings:
 - a. National Fire Protection Association (NFPA): Class B.
 - b. International Code council (ICC): Class B.

E. LEEDs Contribution: Partition material shall contribute to the following US Green Building Council's Leadership in Energy and Environmental Design program Credits (USGBC LEED Version 2.1):

1. Recycled Content (MR Credit 4.1): shall contain a minimum of 5% recycled content.
2. Recycled content (MR Credit 4.2): shall contain a minimum of 10% recycled content.
3. Low Emitting Materials (EQ Credit 4.4): Shall not contain urea – formaldehyde resins.
4. Rapidly Renewable Materials (MR Credit 6.0): more than 5% of material's value shall be harvested from plants harvested within a ten-year cycle.

7. Accessories:

Toilet Tissue Dispenser and Toilet Seat Cover Dispenser

(Bobrick-B-3471 Classic Series Partition Mounted Seat-Cover Dispenser and toilet tissue dispenser).

(Bobrick-B-357 Classic Series Partition-Mounted Seat-Cover Dispenser, Sanitary Napkin Disposal and Toilet Tissue Dispenser).

Paper Towel Dispenser / Waste Receptacle

Remodel:

(Bobrick-B-3961 Classic Series Recessed Convertible paper Towel dispenser/Waste Receptacle)

New Construction:

(Bobrick-B-750 AirCraft Recessed Hand Dryers)
(Bobrick-B-3644 ClassicSeries Recessed Waste Receptacle)

Liquid-soap Dispenser

Sink Mounted
(Bobrick-B-8226 Series)
(Bobrick-B-82216)

Baby Changing Station

(Bobrick-KB110-SSRE Horizontal, Recessed Mounted)

Grab bars at accessible stalls, stainless steel

(Bobrick B-6806 Series)

NOTE: All dispensers to be surface mount only.

8. Lavatories: Wall mounted lavatories
9. Mirrors:
10. Counters: Synthetic material with self edge and continuous knee guard below. All counters to have back splashes.

F. Custodial Closet:

All custodial closets to be minimum of 100 sq ft (clear useable) or larger with doors opening outward, depending on size of building.

1. Floor: Exposed concrete with sealer.
2. Walls: 4"x4" Min. glazed porcelain tile up to 4'-0" in manufacturer's standard colors.
American O'Lean
3. Base: Thin set min. 4"x4" unglazed porcelain tile cove in manufacturer's standard colors:
American O'Lean
4. Ceiling: Suspended ceiling

- 5. Lighting: TBD
- 6. Ceiling Height: Min. 9'-0"
- 7. Sink Floor

G. Mechanical, Electrical, Telephone and Service Rooms:

- 1. Walls: Painted gypsum wall board with USG standard level 3 finish on metal studs rated as required. Provide painted plywood wall panels at telephone rooms.

Refer to Section 012 Electrical System for wall thickness requirements at electrical panels.
- 2. Base: 2 -1/2" high coved resilient base.
- 3. Floors: 12" x 12" min. VCT for all floors except Mechanical and electrical rooms shall be exposed concrete with sealer.
- 4. Ceilings: Exposed construction.

H. Stairs:

- 1. Walls: Gypsum board shaft wall with USG standard level 3 finish, painted.
- 2. Base: 2 1/2" high straight resilient base.
- 3. Lighting: Surface mounted on wall at all landings.

Chabot College Building Interior Finishes Matrices

Interior Finishes - Project Team Selections		
Finish Type/Application	Palette Options	Application Locations
<u>PAINT</u>		
Interior Walls Only		
Field - Primary	BRAND: Kelly Moore, Finish TBD KM OW260-1 Fuzzy Slippers	All
Accent	KM 3831-3 Knapped Flint (Charcoal)	All
Accent	KM 3616-5 Sunbaked Earth (Red)	All
Accent	KM 3404-2 Golden Shores (Light Green)	All
Accent	KM 3183-3 Lake Como (Turquoise)	All
Accent	KM 3948 Meadowbrook (Beige)	All
<u>FLOORING</u>		
Resilient Flooring		
Academic Applications		
Field - Primary	2707 Barley	All
Accent	3053 Dove Blue	All
Accent	3174 Sahara	All
Accent	2767 Rust	All
Administrative Applications		
Field - Primary	2707 Barley	All
Accent	2767 Rust	All
Accent	2621 Dove Grey	All
Accent	3053 Dove Blue	All
Accent	3174 Sahara	All
Accent	3222 Jade	All
Accent	2629 Eiger	All
Accent	2614 Charcoal	All

Chabot College Building Interior Finishes Matrices

Interior Finishes - Project Team Selections		
Finish Type/Application	Palette Options	Application Locations
Carpet	BRAND: Collins & Aikman, Rolled Goods	
Academic Applications - Lecture Halls Only		
Field	Circlet Balsawood 02888-14201	Aisles
Field	Paradox Balsawood 02819-29603	Auditorium
Field	Fraction Balsawood 02820-30601	Auditorium
Field	Applause Mosaic - 02803-28502	Auditorium
Administrative Applications		
Field	Circlet Balsawood 02888-14201	All
Field	Paradox Balsawood 02819-29603	All
Field	Fraction Balsawood 02820-30601	All
Field	Applause Mosaic - 02803-28502	All
Field	Aftermath Camouflage	All
Field	Kasuri Iris Root 02268-33508	All
Building Entry Door Mat	BRAND: Tandus Flooring	
Field	Abrasive Action 02578	All

Chabot College Building Interior Finishes Matrices

Interior Finishes - Project Team Selections		
Finish Type/Application	Palette Options	Application Locations
<u>LAMINATES & SOLID SURFACING</u>		
Casework	BRAND: Various	
Vertical Cabinets	Pionite AG281 Storm Cirrus	All
Vertical Cabinets	Wilsonart 4674-60 Evening Tigris	All
Horizontal Cabinets	Pionite AT241 Cinnamon Fiber	All
Countertops	BRAND: Various Solid Surface	
Horizontal Worksurfaces	Avonite K3-6638 Palm Desert	All
Horizontal Worksurfaces	Wilsonart Gibraltar Blanco Riverstone	All
Horizontal Worksurfaces	Megonite Canvas Mist 312	All
<u>ACOUSTICAL TACK SURFACES (FRAMED OR UNFRAMED)</u>		
All Applications	BRAND: Forbo Color Permeated Cork	
Frame	Brushed Aluminum 1-1/2" Frame	All
Field	2186 (Light Tan)	All
Field	2182 (Grey)	All
Field	2162 (Blue)	All
Field	2067 (Khaki)	All
Field	2201 (Red)	All

Chabot College Building Interior Finishes Matrices

Interior Finishes - Facilities Selections		
Finish Type/Application	Palette Options	Application Locations
WALL TREATMENT		
Traditional Classrooms Only Chair Rail	BRAND: TBD TBD	All
CEILINGS		
Academic & Public Space Ceiling Tile	BRAND: Armstrong Georgian	
All Tiles	White/Square Edge	All
All Exposed Grid Details	White	All
Administrative Applications	BRAND: Armstrong Georgian	
All Tiles	White/Tegular Edge	All
All Exposed Grid Details	White	All
Hard Lid Painted Surfaces	BRAND: Kelly Moore	
Field	Kelly Moore Paint to Match Georgian White	All

Chabot College Building Interior Finishes Matrices

Interior Finishes - Facilities Selections		
<u>WINDOWS & DOORS</u>		
Window Mullions	BRAND: Various	
All Mullions	Clear Anodized	All
		All
Window Hardware	BRAND: Various	
All Frames	Clear Anodized	All
All Hardware	Clear Anodized	All
Door Frames	BRAND: Various	
All Frames	Hollow Metal, Painted	All
All Hardware	Schlage Brushed Chrome	All
<u>WINDOW COVERINGS</u>		
Academic Applications	BRAND: MechoShade Systems	
Interior Windows	Ecoveil Eggshell 1366	All
Exterior Windows	Ecoveil Eggshell 1366	All
Blackout Shades	Equinox Thermoveil Flax 0103	All
Administrative Applications		
Interior Windows	Ecoveil Straw 1367	All
Exterior Windows	Ecoveil Straw 1367	All
Public Spaces		
Interior Windows	Ecoveil Straw 1367	All
Exterior Windows	Ecoveil Straw 1367	All
Doors	BRAND: Various	
Wood, Solid Core, Flush with Wood Veneer		All
Wood Veneer - Grade "A" White Maple, Plain Sliced, Clear		All
Wood Finish - Clear		All
Hardware Finish - Brushed Chrome		

Chabot College Building Interior Finishes Matrices

Interior Finishes - Facilities Selections		
<u>RESTROOMS</u>		
Ceramic Tile	BRAND: Daltile	
Field - Flooring	Daltile Almond 6565 2x2 nglazed	All
Accent - Flooring	Daltile D311 Black Unglazed	
Accent - Walls	Daltile Almond 4x4 Glazed	All
		All
Grout	BRAND: Various	
Floor	Color TBD	All
Wall	To match tile color	All
Paint	BRAND: Kelly Moore	All
Field	KM OW260-1 Fuzzy Slippers	All
Ceiling (Hard Lid)	KM OW260-1 Fuzzy Slippers	All
Stalls	BRAND: Bobrick	All
Dividers and Doors	SC04 Forest Green Sierra Series	All
Hardware	Brushed Aluminum Finish, Continuous Hinges	All
Fixtures and Accessories	BRAND: Various	
Toilets & Urinals	American Standard Toilet & Waterless Brand 2102 Urinal	All
Sinks	Vitreous China Fixtures: CS20	All
Accessories	White or Brushed Stainless	All
<u>DETAILS & TRIM</u>		
All	BRAND: Various	
Light Switches and Power Receptacles	White or Brushed Stainless Steel / Grey Receptacles	All
Power Receptacles	Receptacles	
Thermostats	White	All
Flooring Base	BRAND: Burke Mercer	
Carpet	523 Black Brown	All
Resilient Flooring	523 Black Brown	All

Chabot College Building Interior Finishes Matrices

Interior Finishes - Furniture, Fixtures and Equipment		
Finish Type/Application	Palette Options	Application Locations
LAMINATE		
Academic Applications	BRAND: Various	
Horizontal Surfaces	Wilsonart Evening Tigris 4674-60	Fixed Seating Rm.
Horizontal Surfaces	Pionite Cinnamon Fiber AT241	All Other Rms.
Administrative Applications	BRAND: Wilsonart	
Horizontal Surfaces	Wilsonart Wild Cherry 7054-60	All
PAINT & TRIM		
Academic Applications	BRAND: Various	
Table, Chair and Student Desk Bases	Chrome	All
Computer Table Base/Edge & Chair Bases	Flannel	All
All Floor Based Storage Units	Paint to match KM Fuzzy Slippers OW-260-1	All
AV Lecterns	Per Campus Standard Manufacturer	All
Monitor Arms	Brushed Aluminum	All
Administrative Applications	BRAND: Various	
Desk and Table Bases	Flannel	All
Task Chair Bases & Arms	Black	All
Guest Chair Bases	Chrome	All
Table Edges	Flannel	All
Low Floor Based Storage Units	Flannel	All
Tall Floor Based Storage Units	KI 9800-2401 Tawny White.	All
Monitor Arms	Brushed Aluminum	All

Updated: 5/2/2011

Chabot College Building Interior Finishes Matrices

Interior Finishes - Furniture, Fixtures and Equipment		
<u>FABRICS</u>		
Task Seating Upholstery	BRAND: Various	
Field	Pallas Tangier Amethyst 27.074.067	All
Field	Pallas Raku Rhubarb 29.027.047	All
Field	Pallas Ping Pong Topaz 27.104.209	All
Field	KI Thatched Roof Desert Camel 2DTL	Fixed Seating
Field	Humanscale (Liberty Chair Only) Vellum Moss 404	Task
Field	Humanscale (Liberty Chair Only) Vellum Graphite 102	Task
Field	Graphite 102	Task
Lounge Seating Upholstery	BRAND: Various	
Field	Pallas Delphinium Bittersweet 29.021.091	All
Field	Pallas Delphinium Persimmon 29.021.048	All
Field	Pallas Transom Currant 29.062.057	All
Field	Pallas Furrow Forest 29.063.015	All
Panel and Tackboard Fabrics	BRAND: KI	
Field	Naturalize Gravel N1640	Panels
Field	Naturalize Stone N1638	Panels
Tack	Sensa Gemstone 549	Tack Boards
Field or Tack	Naturalize Charcoal N1646	Panels or Tack
Tack	Naturalize Salsa N1643	Tack Boards
<u>POLYPROPYLENE</u>		
Academic Seating Shells	BRAND: KI	
Finish	Flannel FN	All
Administrative Seating Shells	BRAND: KI	
Finish	Flannel FN	All

Updated: 5/2/2011