

INTERIOR FINISHES

Toilet Rooms:

1. Walls: Water resistant gypsum wallboard on metal studs. 4"x 4" min. glazed tile full height in manufacturer's standard colors.
American O'Lean, Daltile
2. Base: 4"x4" min. unglazed tile cove in manufacturer's standard colors
American O'Lean, Daltile
3. Floor: Epoxy dark grout 4"x4" min. unglazed porcelain tile in manufacturer's standard colors with marble threshold
American O'Lean, Daltile
4. Ceilings: Painted gypsum board.
5. Lighting: TBD
6. Toilet Partitions: **BOBRICK** or equal
Solid color reinforced composite (Sierra Series)
Floor mount/stainless steel base through bolt hardware

A. Graffiti Resistance: Partition material shall have the following graffiti removal characteristics when tested in accordance with ASTM D6578-00 Standards Practice for Determination of Graffiti Resistance in accordance with Section 9, "Graffiti Removal Procedure Using Manual Solvent Rubs".

1. Cleanability: Five (5) required staining agents shall be cleaned off material.

B. Scratch Resistance: Partition material shall have the following characteristics when tested in accordance with ASTM D2197-98 (2002) Standard Test Method for Adhesion of Organic Coating by Scrape Adhesion, using Gardner Stock #PA-2197/ST pointed stylus attachment on scrape tester:

1. Scratch Resistance: Maximum Load value shall exceed 10 kilograms.

C. Impact Resistance: Partition material shall have the following characteristics when tested in accordance with ASTM D279-93 (1999) e1 Standard Test Method for Resistance of Organic Coating to the Effects of Rapid Deformation (Impact), using .625" hemispherical indenter with 2-lb impact weight:

1. Impact Resistance: Maximum Impact Force value shall exceed 30 inch-lbs.

D. Fire Resistance: Partition material shall comply with the following requirements, when tested in accordance with ASTM E 84: Standard Test method for Surface Burning Characteristics of Building Materials:

1. Smoke Developed Index: Not to exceed 450.
2. Flame Spread Index: Not to exceed 75.
3. Material Fire Ratings:
 - a. National Fire Protection Association (NFPA): Class B.
 - b. International Code council (ICC): Class B.

E. LEEDs Contribution: Partition material shall contribute to the following US Green Building Council's Leadership in Energy and Environmental Design program Credits (USGBC LEED Version 2.1):

1. Recycled Content (MR Credit 4.1): shall contain a minimum of 5% recycled content.
2. Recycled content (MR Credit 4.2): shall contain a minimum of 10% recycled content.
3. Low Emitting Materials (EQ Credit 4.4): Shall not contain urea – formaldehyde resins.
4. Rapidly Renewable Materials (MR Credit 6.0): more than 5% of material's value shall be harvested from plants harvested within a ten-year cycle.

7. Accessories:

Toilet Tissue Dispenser and Toilet Seat Cover Dispenser

(Bobrick-B-3471 Classic Series Partition Mounted Seat-Cover Dispenser and toilet tissue dispenser).

(Bobrick-B-357 Classic Series Partition-Mounted Seat-Cover Dispenser, Sanitary Napkin Disposal and Toilet Tissue Dispenser).

Paper Towel Dispenser / Waste Receptacle

Remodel:

(Bobrick-B-3961 Classic Series Recessed Convertible paper Towel dispenser/Waste Receptacle)

New Construction:

(Bobrick-B-750 AirCraft Recessed Hand Dryers)
(Bobrick-B-3644 ClassicSeries Recessed Waste Receptacle)

Liquid-soap Dispenser

Sink Mounted
(Bobrick-B-8226 Series)
(Bobrick-B-82216)

Baby Changing Station

(Bobrick-KB110-SSRE Horizontal, Recessed Mounted)

Grab bars at accessible stalls, stainless steel

(Bobrick B-6806 Series)

NOTE: All dispensers to be surface mount only.

8. Lavatories: Wall mounted lavatories
9. Mirrors:
10. Counters: Synthetic material with self edge and continuous knee guard below. All counters to have back splashes.

F. Custodial Closet:

All custodial closets to be minimum of 100 sq ft (clear useable) or larger with doors opening outward, depending on size of building.

1. Floor: Exposed concrete with sealer.
2. Walls: 4"x4" Min. glazed porcelain tile up to 4'-0" in manufacturer's standard colors.
American O'Lean
3. Base: Thin set min. 4"x4" unglazed porcelain tile cove in manufacturer's standard colors:
American O'Lean
4. Ceiling: Suspended ceiling

- 5. Lighting: TBD
- 6. Ceiling Height: Min. 9'-0"
- 7. Sink Floor

G. Mechanical, Electrical, Telephone and Service Rooms:

- 1. Walls: Painted gypsum wall board with USG standard level 3 finish on metal studs rated as required. Provide painted plywood wall panels at telephone rooms.

Refer to Section 012 Electrical System for wall thickness requirements at electrical panels.
- 2. Base: 2 -1/2" high coved resilient base.
- 3. Floors: 12" x 12" min. VCT for all floors except Mechanical and electrical rooms shall be exposed concrete with sealer.
- 4. Ceilings: Exposed construction.

H. Stairs:

- 1. Walls: Gypsum board shaft wall with USG standard level 3 finish, painted.
- 2. Base: 2 1/2" high straight resilient base.
- 3. Lighting: Surface mounted on wall at all landings.

Las Positas College Overall Furniture Standards - Approved 4-08

Application	Vendor/Product	Project Selection Process
Academic		
Student Desks	KI 360 Desk with Torsion Shell	Project Team Selection from Stds.
Student ADA Table	ASI Get Set Adjustable	Project Team Selection from Stds.
Student Computer Chairs	KI Torsion or Glimmer Poly	Project Team Selection from Stds.
Student Computer Tables	KI InTandem	Project Team Selection from Stds.
Student or Faculty Tables	ASI Get Set Fixed Height	Project Team Selection from Stds.
Student or Faculty Chairs	KI Dorsal 4 Leg Poly	Project Team Selection from Stds.
Tablet Arm Chairs	KI 1090 Dorsal	Project Team Selection from Stds.
Faculty or Student Lab Stools	KI Torsion Stool Poly	Project Team Selection from Stds.
Fixed Seating	KI Torsion University Seating	Project Team Selection from Stds.
Specialty and Common Areas		
Bookshelves	KI 700 Series	Project Team Selection from Stds.
Benches	TBD	Project Team Selection from Stds.
Conference Room Tables	ASI Get Set Fixed Height	Project Team Selection from Stds.
Conference Room Seating	KI Torsion 4 Leg Uph.	Project Team Selection from Stds.
Demountable Walls	KI Genius	Project Team Selection from Stds.
Dining or Break Room Tables	ASI Get Set Flip Top	Project Team Selection from Stds.
Dining or Break Room Seating	Kimball Bingo Wood	Project Team Selection from Stds.
Monitor Arms	Chief or Humanscale	Project Team Selection from Stds.
CPU Holders	Chief or Humanscale	Project Team Selection from Stds.
Student Lounge Seating	KI Cody w/Wood Arm Caps	Project Team Selection from Stds.
Occasional Tables	KI Flex	Project Team Selection from Stds.

DOVETAIL DCI

237 CRESCENT ROAD, SUITE 4
 SAN ANSELMO, CA 94960
 T: 415.485.1196
 F: 415.485.1192
 WWW.DOVETAILDCI.COM

Application	Vendor/Product	Project Selection Process
Study Room Tables	ASI Get Set Fixed Height	Project Team Selection from Stds.
Study Room Seating	KI Torsion 4 Leg Poly	Project Team Selection from Stds.
Administrative		
Office Desks (all)	KI Genesis Adjustable	Ind. Selection Form by User
Office Overhead Cabinets (all)	KI Balance	Ind. Selection Form by User
Office Tackboards (Systems Product)	KI Flex	Ind. Selection Form by User
Staff Workstations (Panels only)	Kimball Xcite	Ind. Selection Form by User
Storage Components	KI 700 Series	Ind. Selection Form by User
Task Seating (Full Time Employee)	KI Engage, Kimball Wish or ASI SUM	Ind. Selection Form by User
Task Seating (Student or Part Time Employee)	KI Torsion 5 Star Base w/Uph.	Ind. Selection Form by User
Guest Seating	ASI Relate Armless on Casters, Poly	Ind. Selection Form by User
Staff Reception/Lounge Seating	KI Lido w/Wood Arm Caps	Project Team Selection from Stds.

Las Positas College Interior Finishes Matrices

DOVETAIL DCI

237 CRESCENT ROAD, SUITE 4
 SAN ANSELMO, CA 94960
 T: 415.485.1196
 F: 415.485.1192
 WWW.DOVETAILDCI.COM

Interior Finishes - Project Team Selections		
Finish Type/Application	Palette Options	Application Locations
<u>PAIN</u>		
Walls and Doors	BRAND: Kelly Moore	
Field - Primary/Walls and Private Doors	Buff Bluff OW-254-1	All
Accent - Walls and Doors	Arizona Heat OW256-1	All
Accent - Walls	Natural Raffia KM3532-1	All
Accent - Walls	Wall Street Blues KM3796-2	All
Accent - Walls	Song of Nature KM3892-2	All
Accent - Walls and Doors	Earthy Tan KM4037-2	All
Accent - Walls	Red Ochre KM4104-5	All
<u>FLOORING</u>		
Resilient Flooring	BRAND: Forbo Marmoleum Dual	
All Applications		
Field - Primary	Barley 707	All
Accent	Eiger 629	All
Accent	Dove Grey 621	All
Accent	Brick 527	All
Carpet	BRAND: Collins & Aikman, Rolled Goods	
All Applications		
Field	Haphazard Palomino - 13501	All
Field	Haphazard Bay - 13505	All
Field	Kasuri Iris Roots - 33508	All
Field	Odyssey Ganymede 14520	All
Accent	Plexus Brushed Silver -18502	All
Accent	Plexus Colour Saddle Back - 18519	All
Building Entry Door Mat	BRAND: Tandus Flooring	
Field	Abrasive Action 02578	All



Las Positas College Interior Finishes Matrices

Interior Finishes - Project Team Selections		
Finish Type/Application	Palette Options	Application Locations
LAMINATES & SOLID SURFACING		
Casework	BRAND: WilsonArt	
Vertical Cabinets	Graphite Nebula 4623-60	All
Vertical Cabinets	Desert Zephyr 4841-60	All
Vertical Cabinets	Twilight Zephyr 4845-60	All
Vertical Cabinets	Spiced Zephyr 4859-60	All
Countertops	BRAND: Corian or Equal	
Horizontal Worksurfaces	Savannah	Restrooms, Other
Horizontal Worksurfaces	Acorn	All
Horizontal Worksurfaces	Maui	All
Horizontal Worksurfaces	Cinnabar	All
ACOUSTICAL TACK SURFACES (FRAMED OR UNFRAMED)		
All Applications	BRAND: Forbo Color Permeated Cork	
Frame	Brushed Aluminum 1-1/2" Frame	All
Field	Light Taupe - 2187	All
Field	Brick - 2201	All
Field	Steel Grey - 2162	All
Field	Orange Grey - 2166	All
Field	Dark Grey - 2204	All



Las Positas College Interior Finishes Matrices

Interior Finishes - Facilities Selections		
Finish Type/Application	Palette Options	Application Locations
WALL TREATMENT		
Traditional Classrooms Only	BRAND:	
Chair Rail	TBD	All
CEILINGS		
Academic & Public Space Ceiling Tile	BRAND: Armstrong Georgian	
All Tiles	White	All
All Exposed Grid Details	White	All
Administrative Applications	BRAND: Armstrong Georgian	
All Tiles	White	All
All Exposed Grid Details	White	All
Hard Lid Painted Surfaces	BRAND: Kelly Moore	
Field	To Match Ceiling Tile White	All



Las Positas College Interior Finishes Matrices

Interior Finishes - Facilities Selections		
Finish Type/Application	Palette Options	Application Locations
WINDOW COVERINGS		
Academic Applications	BRAND: MechoShade	
Interior Windows	Ecoveil Straw - 1367	All
Exterior Windows	Ecoveil Straw - 1367	All
Blackout Shades	Equinox Wheat - 0109	All
Administrative Applications		
Interior Windows	Eggshell - 1366	All
Exterior Windows	Eggshell - 1366	All
Public Spaces		
Interior Windows	Eggshell - 1366	All
Exterior Windows	Eggshell - 1366	All
WINDOWS & DOORS		
Window Mullions	BRAND: Various	
All Mullions & Frames	Kawneer Light Bronze #26	All
All Hardware	Brushed Chrome	All
Door Frames	BRAND: Various	
All Frames	Kawneer Light Bronze #26	All
All Hardware	Schlage Brushed Chrome	All
Doors	BRAND: Various	
Doors - Existing Wood	Match to building	All
Doors - Metal Painted/Private or Facilities	Paint to match KM Buff Bluff OW-254-1	All
All Locksets	Schlage Brushed Chrome	All



Las Positas College Interior Finishes Matrices

Interior Finishes - Facilities Selections		
Finish Type/Application	Palette Options	Application Locations
RESTROOMS		
Tile		
Floor	BRAND: DAL TILE Matte Biscuit - D317 2" x 2" Matte Uptown Taupe - D132 2" x 2" Matte Artisan Brown - D144 2" x 2" Matte Cityline Kohl - D171 2" x 2"	All All All All
Walls	Glazed Biscuit - K775 4" x 4" Glazed Uptown Taupe - 0732 4" x 4" Glazed Artisan Brown - 0744 4" x 4" Glazed Cityline Kohl - 0771 4" x 4"	All All All All
	(note: 2" x 2" Tile for base, 12"H)	
Grout		
Floor and Wall	BRAND: CUSTOM BUILDING PRODUCTS Tobacco Brown - 52	All
Paint		
Field	BRAND: Kelly Moore Buff Bluff OW-254-1	All All
Stalls		
Dividers and Doors	BRAND: Bobrick Forest Green - SC04	All All
Dividers and Doors	Desert Biege - SC02	All
Hardware	Brushed Aluminum Finish, Continuous Hinges	All



Las Positas College Interior Finishes Matrices

Interior Finishes - Facilities Selections		
Finish Type/Application	Palette Options	Application Locations
Fixtures and Accessories	BRAND: Various	All
Toilets & Urinals	American Standard White	All
Sinks	Vitreous China Fixtures: CS20	All
Accessories	White or Brushed Stainless	All
DETAILS & TRIM		
All	BRAND: Various	
Light Switches and Power Receptacles	Brushed Stainless Steel	All
Thermostats	Cream or Brushed Stainless	All
Flooring Base	BRAND: Burke Mercer	
Carpet	Brown Black	All
Resilient Flooring	Brown Black	All

Indicates Pending Decisions

Las Positas College Interior Finishes Matrices

237 CRESCENT ROAD, SUITE 4
 SAN ANSELMO, CA 94960
 T: 415.485.1196
 F: 415.485.1192
 WWW.DOVETAILDCI.COM

Interior Finishes - Furniture, Fixtures and Equipment		
Finish Type/Application	Palette Options	Application Locations
LAMINATE		
Academic Applications Horizontal Surfaces	BRAND: Pionite Cinnamon Fiber AT241	All Horizontal
Administrative Applications Horizontal Surfaces	BRAND: Wilsonart Wilsonart Tungsten Evolv 4814-60	All Office
Public Area Applications Horizontal Surfaces Horizontal Surfaces	BRAND: Wilsonart Wild Cherry 7064-60 TBD	All Conf, Occ. Break Rooms
PAINT & TRIM		
Academic Applications 4 Leg Chair Bases Table or Student Desk Bases Computer Table & Chair Bases All Floor Based Storage Units All Lecterns Monitor Arms	BRAND: Allsteel, KI and Humanscale (TBD) Chrome CH (KI) Flannel FN (KI) or Flint P02 (ASI) Flannel FN (KI) or Flint P02 (ASI) Flannel FN (KI) Pionite Cinnamon Fiber AT241 or Flannel Brushed Aluminum (Humanscale) TBD	All All All All All All



Las Positas College Interior Finishes Matrices

Interior Finishes - Furniture, Fixtures and Equipment		
Finish Type/Application	Palette Options	Application Locations
Administrative Applications	BRAND: Allsteel, KI, Kimball and Chief (TBD)	
Desk and Table Bases	Flannel FN (KI) or Flint P02 (ASI)	All
Task Chair Bases & Arms	Flannel FN (KI), Flint P02 (ASI) or Graphite 461 (Kimball)	All
Guest Chair Bases	Polished Aluminum PAL (ASI)	All
Guest Chair Shell	Flint P02 (ASI)	All
Panel Trim	Graphite 461 (Kimball)	All
Overhead Cabinets	Flannel FN (KI)	All
Table Edges	Flannel FN (KI)	All
Low Floor Based Storage Units	Flannel FN (KI)	All
Tall Floor Based Storage Units	Flannel (KI)	All
Monitor Arms	Brushed Aluminum (Chief) TBD	All
FABRICS		
Task Seating	BRAND: Allsteel, KI, & Kimball	
Upholstery (Allsteel SUM)	Allsteel Emery Morel EMR07	All
Upholstery (Allsteel SUM)	Allsteel Tempo Vermillion TPO06	All
Upholstery (Allsteel SUM)	Allsteel Chord Nile CHD16	All
Upholstery (KI Engage)	KI/Pallas Ping Pong Onionskin 27.104.065	All
Upholstery (KI Engage)	KI/Pallas Graffito Clay 27.125.079	All
Upholstery (KI Engage)	KI/Pallas Newgrange Heather 27.094.068	All
Upholstery (Kimball Wish)	Kimball Speedway Checkered Flag 10110	All
Upholstery (Kimball Wish)	Kimball Venetian Tuscany 21106	All
Upholstery (Kimball Wish)	Kimball Echo Seaport 41106	All



Las Positas College Interior Finishes Matrices

Interior Finishes - Furniture, Fixtures and Equipment		
Finish Type/Application	Palette Options	Application Locations
Guest Seating Upholstery (Allsteel Relate Seat)	BRAND: Allsteel Allsteel Emery Morel EMR07	All
Panel and Tackboards Field - Panel Field or Accent - Panel Field or Accent - Panel Field - Wall Hung Tack Boards	BRAND: Various Kimball/Momentum Meander Agate Taupe Kimball Geo Vapor 35104 Kimball Koeda Driftwood 55205 KI Reciprocal Cream Silk	All All All Offices
POLYPROPYLENE		
Academic Seating Shells Finish	BRAND: KI Flannel (KI)	All
Administrative Seating Shells Finish	BRAND: Allsteel, KI, Kimball Flannel (KI), Flint (ASI) or Graphite (Kimball)	All

Indicates Pending Decisions